

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FII	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/606,492	06/25/2003		Dennis D. Palmer	GDDDP01A	5672	
33076	7590	06/15/2006		EXAM	EXAMINER	
GEOFFREY		BBIN, PATENT A	CROW, ST	CROW, STEPHEN R		
		7. UT 84128-650	ART UNIT	PAPER NUMBER		
	•				<u> </u>	

DATE MAILED: 06/15/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/606,492	PALMER, DENNIS D.			
Office Action Summary	Examiner	Art Unit			
	Steve R. Crow	3764			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	lely filed the mailing date of this communication. C (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 26 Ja	nuary 2006.				
2a) This action is FINAL . 2b) ⊠ This					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the n					
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	i3 O.G. 213.			
Disposition of Claims					
4) ☐ Claim(s) 1-20 is/are pending in the application. 4a) Of the above claim(s) 1-9 is/are withdrawn for the state of the above claim(s) 1-9 is/are withdrawn for the state of the state o	from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct and the oath or declaration is objected to by the Examine	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati ity documents have been receive ı (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)			
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 6-25-03. 	Paper No(s)/Mail Da				
S. Patent and Trademark Office					

Application/Control Number: 10/606,492 Page 2

Art Unit: 3764

DETAILED ACTION

Response to Amendment

Election/Restrictions

1. Applicant's election without traverse of claims 10-20 in the reply filed on 1-26-06 is acknowledged.

Claim Objections

1. Claims 10-20 are objected to because of the following informalities:

The claims recite the term "axel" which should be changed to -axle--.

Claim 10 line 10 has the misspelling "cantileverally".

In claim 12 line 8, "A" should be changed to -a--.

. Appropriate correction is required.

Specification

2. The disclosure is objected to because of the following informalities: The Specification has numerous occurrences of the term "axel" which should be changed to –axle--.

Appropriate correction is required.

3. The font size and poor fax transmission of the claims is such as to make reading difficult. New claim papers are required.

Application/Control Number: 10/606,492 Page 3

Art Unit: 3764

Claim Rejections - 35 USC § 112

4. Claims 10-20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure..

Claim 10 line 14 states that the rod arms are interfaced with the exerciser base, but the rod arms are actually" interfaced with the vertical axle at a pivot point above the horizontal axle". This language substituted therein would clear up the indefinite and overcome the prior art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steve R. Crow whose telephone number is 571-272-4973. The examiner can normally be reached on Reg:8:30-6;Off First Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Greg Huson can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/606,492 Page 4

Art Unit: 3764

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SC

STEPHEN R. CROW PRIMARY EXAMINER ART UNIT 332

Mhy